

# WILLARD

## CONSERVATION LTD

### CONSERVATION EQUIPMENT ENGINEERS

#### PRICING TABLE EFFECTIVE JANUARY 2010

| HAND TOOLS |   | Price<br>GBP |
|------------|---|--------------|
| <b>1</b>   | <b>Control Boxes</b>  |              |
|            | Control Box Standard (operates all spatula types) either 220v/240v OR 110v/115v   | £385         |
|            | Control Box Special (operates all spatula types and all irons) either 220v/240v OR 110v/120v  | £499         |
|            | Wall Mounted (Special Model) as specified above   | £580         |
|            | Dual voltage selector switch fitted to control box (115V/230V) Add  | £127         |
|            | Temperature Monitor remote unit to display temperature of hand tools  | £143         |
| <b>2</b>   | <b>Heated Spatulas (Tacking Irons)</b>  |              |
|            | 1EM miniature spatula for use with mini tips & micro tips.  | £180         |
|            | Mini Tips (shoes) supplied individually,  | £25ea        |
|            | Mini Tips (shoes) supplied as a set of 7 tips   | £150         |
|            | Micro Tips (shoes) silver supplied individually   | £38 ea       |
|            | Micro Tips silver, a set of 5 tips (shoes), supplied with adaptor to fit 1EM spatula  | £155         |
|            | 1E or 1EC spatula supplied without tips (shoes)   | £180         |
|            | Set of 7 interchangeable tips (shoes) to fit 1E and 1EC Spatula   | £210         |
|            | 1E or 1EC spatula supplied complete with a set 7 interchangeable tips   | £348         |
|            | Tips (shoes) for 1E & 1EC Spatula supplied individually (Type A,B,C,D,E,F,G)  | £33 ea       |
|            | 2E Spatula  | £252         |
|            | 3E Spatula  | £252         |
|            | 4E Spatula  | £252         |
|            | 5E Spatula  | £325         |
|            | Grooved E Spatula   | £325         |
|            | Flexible thin blade heated spatula  | £440         |
|            | <b>Spatula Set A:</b> 1 x 1E (or 1EC) Spatula with 7 Tips and 1x Standard Control unit  | £695         |
|            | <b>Spatula Set B:</b> 1 x 1E (or 1EC) Spatula with 7 tips, 1 x 4E Spatula and 1 x Standard Control unit.... excellent value and ideal starter set | £845         |
|            | <b>Specialist tips (shoes)</b> for 1EM, 1EC & 1E Heated Spatulas Prices from  | £55ea        |
| <b>3</b>   | <b>Hot Air Pen:</b> complete set supplied with hand piece, 3 x nozzles, stand & dedicated controller for regulating air flow and air temperature. | £746         |
| <b>4</b>   | <b>Heated Hand Lining Irons &amp; Cold Setting Iron</b>   |              |
|            | <b>Mini Irons</b> 6E, 7E & 8E styles (150mm x 75mm)   |              |
|            | 6E Symmetrical pointed end 'gothic arch' shape  | £269         |
|            | 7E Rectangular  | £269         |
|            | 8E Rectangular with inclined front edge. Left or right hand slope options   | £269         |
|            | <b>Standard Irons</b>   |              |
|            | 6E Similar size and shape to domestic iron (200mm x 115mm) Special order  | £290         |
|            | 7E (200mm x 140mm)  | £379         |
|            | 8E (270mm long side x 170mm)  | £379         |
|            | <b>Medium Irons</b>   |              |
|            | 7E (230mm x 140mm)  | £435         |

|   |      |
|---|------|
| 8E (270mm long side x 140mm)                                    | £435 |
| <b>Large Irons</b>  |      |
| 7E (270mm x 170mm)  | £533 |
| 8E (300mm long side x 170mm)                                    | £533 |
| 9E (285mm x 140mm) Rectangular with rounded front end           | £533 |
| <b>Cold setting Iron (unheated)</b> Rectangular (270mm x 170mm) | £215 |

| WILLARD WEIGHTS | Price GBP |
|-----------------|-----------|
|-----------------|-----------|

|   |     |
|---|-----|
| <b>5 Willard Weights</b>                                    |     |
| A6 size 105mm x 148mm                                       | £29 |
| A7 size 74mm x 105mm  | £25 |
| A8 size 52mm x 74mm   | £20 |
| A9 size 37mm x 52mm   | £18 |
| Long bar size 450mm (additional sizes can be made to order) | £27 |
| *Sizes are approximate and subject to production tolerances |     |

| SUCTION EQUIPMENT | Price GBP |
|-------------------|-----------|
|-------------------|-----------|

| <b>6 Multi-Function Suction Tables</b>      |          |          |          |          |
|---|----------|----------|----------|----------|
| Size of working area                        | Option 1 | Option 2 | Option 3 | Option 4 |
| 1.82m x 1.22m (6ft x 4ft)                   | N/A      | £55,100  | £56,175  | £45,500  |
| 2.44m x 1.22m (8ft x 4ft)                   | £62,950  | £58,795  | £59,650  | £49,500  |
| 2.13m x 1.53m (7ft x 5ft)                   | £66,590  | £61,500  | £62,595  | £55,650  |
| 2.44m x 1.53m (8ft x 5ft)                   | £67,950  | £64,495  | £65,250  | £58,300  |
| 3.00m x 2.00m (10ft x 6ft.5ft))             | £87,390  | £82,300  | £83,650  | £74,490  |
| 3.50m x 2.00m (11.5ft x 6.5ft)              | £89,275  | £83,925  | £85,262  | £78,850  |
| 4.00m x 2.44m (13ft x 8ft)                  | £109,950 | £102,250 | £105,000 | £99,500  |
| Textile Model<br>4.00m x 1.22m (13ft x 4ft) | £86,950  | £79,950  | £82,100  | £77,850  |

**Please see the chart below (page 3) for details of equipment included within table options 1-4.** All tables are made to order and can be manufactured in alternative sizes to those listed above, Some of the smaller tables can also be supplied with powered height adjustment, if required, *please enquire for further details.*

| Multi Function Suction table features |          |          |          |          |
|---------------------------------------|----------|----------|----------|----------|
| Feature                               | Option 1 | Option 2 | Option 3 | Option 4 |
| Refrigeration cooling                 | •        |          |          |          |
| De-humidification                     | •        |          |          |          |
| Humidification                        | •        | •        |          |          |
| Full air circulation                  | •        | •        | •        |          |
| Cross flow cooling                    | •        | •        | •        | •        |
| Suction                               | •        | •        | •        | •        |
| Work surface heating                  | •        | •        | •        | •        |
| Edge heating                          | •        | •        | •        | •        |
| Duct heating*                         | •        | •        | ○        | ○        |
| Partial air circulation               |          |          |          | •        |

| NEW for 2010 |   |              |
|--------------|---|--------------|
| <b>6a</b>    | <b>Heated Suction Table</b><br><i>With air flow system for enhanced cooling</i>   | Price<br>GBP |
|              | <p>This newly introduced variant is available in all the sizes detailed above for the Multi-Function table range; other sizes can be made to special order. These tables all have heating, suction and airflow cooling, as standard.</p> <p>Prices start (for the 1.8m x 1.2m model) from: <b>£19,900</b></p> <p>Please visit our website <a href="http://www.willard.co.uk">www.willard.co.uk</a> or enquire for further details</p> |              |

| <b>7 Suction Tables</b>   |  |                   |
|---|--|-------------------|
| <b>Adjustable height (ergonomic)</b>  |  |                   |
| A0 (1190mm x 841mm)   |  | <b>£4,250</b>     |
| A1 (841mm x 594mm)  |  | <b>£3,680</b>     |
| Other sizes   |  | <b>please ask</b> |
| <b>Fixed height (trolley mounted)</b>   |  |                   |
| A0  |  | <b>£3,250</b>     |
| A1  |  | <b>£2,895</b>     |
| A2 (594mm x 420mm)  |  | <b>£1,985</b>     |
| <b>Other sizes e.g.</b> 1.83m x 1.22m (6ft x 4ft) & 1.0m x 1.5m (3ft 3in x 5ft)   |  | <b>please ask</b> |
| Work surface heating A0 (heating not available for A1 size table)   |  | <b>£2,900</b>     |
| Work surface heating Sizes above A0   |  | <b>please ask</b> |
| <b>Fully integrated table,</b><br>Available in sizes A0 and above, supplied as a complete table fitted with 1.5Kw exhauster & variable suction control, as standard |  | <b>£6250</b>      |
| <b>Suction Table Accessories:</b>   |  |                   |
| Acrylic Hood: bonded with flat panels and hinged flap for access. Removable   |  |                   |
| A0  |  | <b>£2,080</b>     |
| A1  |  | <b>£1,560</b>     |
| A2  |  | <b>£1,300</b>     |

|           |   |            |
|-----------|---|------------|
|           | Other sizes   | please ask |
|           | Acrylic dome: hinged to table with gas struts for support. Hand ports for access  |            |
|           | <b>A0</b>   | £3,650     |
|           | <b>A1</b>   | £2,295     |
|           | Other sizes   | please ask |
|           | Laminated work surface cover  |            |
|           | <b>A0</b>   | £395       |
|           | <b>A1</b>   | £325       |
|           | <b>Other sizes</b>  | please ask |
|           | <b>Moisture Trap:</b> protects exhauster against ingress of water   | £280       |
|           | <b>Carbon Filter:</b> absorbs vapours, reduces exhaust air movement noise   | £420       |
|           | <b>Companion Table,</b> can accommodate the hood for use with humidification and other treatments, can also be used for additional working area adjacent to the suction table   | Please ask |
|           | <b>Suction Tablet</b> standard size A3 (other sizes available, please ask) From   | £745       |
| <b>8</b>  | <b>Spotting Tables</b>  |            |
|           | <b>Option 1:</b> Medium pressure, high volume. Fully enclosed, integrated exhauster   | £4,450     |
|           | <b>Option 2:</b> High pressure, low volume. Fully enclosed, integrated vacuum pump  | £4,450     |
|           | <b>Option 3:</b> Above features combined  | please ask |
|           | <b>Option 4:</b> An open frame. External suction source required, see 'Exhausters' below for options. No control or readout fitted  | £2,250     |
| <b>9</b>  | <b>Miniature Suction Platform</b>   |            |
|           | Interchangeable heated work surfaces 150mm x 150mm and 300mm x 300mm supplied with dedicated heating control unit and temperature readout   | £3,790     |
|           | As above but without heating and control unit   | £2,450     |
|           | Adjustable Floor Stand with Castors and quick release mounting bracket  | £995       |
| <b>9a</b> | <b>Hand Held Suction wand,</b> (or suction Wedge) Please ask for further detail, From   | £360       |
| <b>10</b> | <b>Textile Suction Cleaning Table (Dual Function)</b>   |            |
|           | Suction cleaning with removable durable perforated top and suction source. With perforated top removed functions as tilting laboratory sink. Requires suction source; see 'exhausters' below .(2.2Kw recommended) Standard table size 1.22m x 2.44m   | £16,250    |
|           | <b>Option:</b> Adjustable height to harmonise work surface and sink base levels<br><b>Other sizes</b> These tables can be produced in a variety of sizes and depths to suit specific applications   | please ask |
| <b>11</b> | <b>Traditional Solid Top Relining Tables</b>  |            |
|           | Size 1 - 1.82m x 1.22m  | £13,560    |
|           | Size 2 - 2.13m x 1.52m  | £15,430    |
|           | Size 3 - 3.00m x 2.00m  | £22,930    |
|           | Size 4 - 3.50m x 2.00m  | £25,790    |
|           | Size 5 - 4.00m x 2.50m  | £26,960    |
| <b>12</b> | <b>Exhausters</b>   |            |
|           | 1.1KW, 1.5KW & 2.2KW supplied fully enclosed in ventilated powder coated aluminum case on lockable castors. Hand held speed control dial on flexible lead for proportional control of exhauster revolutions. Illuminated digital readout on side of housing. 0.4KW models supplied on open chassis with control unit, readout and hand held speed control dial. |            |
|           | 0.4 KW To suit Miniature Platform. Standard   | £1,995     |
|           | 0.4 KW Anodised for increased corrosion resistance  | £2,400     |
|           | 1.1KW (single vane) High volume, for a variety of applications. Standard  | £2,250     |
|           | 1.1 KW Anodised for increased corrosion resistance  | £2,450     |
|           | 1.5 KW (dual vane) Higher pressure capability for paper treatments  | £3,150     |
|           | 2.2 KW (single vane) Highest volume for Textile Suction Cleaning Table etc...   | £2,930     |
|           | 2.2KW (dual vane) High volume and higher pressure than single vane  | £3,420     |

| WASHING EQUIPMENT |   | Price GBP           |
|-------------------|---|---------------------|
| <b>13</b>         | <b>Laboratory Sink - Adjustable tilt. Standard size 1.8m x 1.22m (6ft x 4ft)</b>                                      | <b>£3,998</b>       |
|                   | <b>Heating</b> , integrated heating system with variable temperature control, additional                              | <b>£3,260</b>       |
|                   | <b>Other sizes</b> , Laboratory Sinks can be produced in a variety of sizes and depths to suit a specific application | <b>please ask</b>   |
| <b>14</b>         | <b>Textile Washing Table - with tilt adjustable in two axis</b>   |                     |
|                   | <b>Size 1</b> (unheated): 2.44m x 1.22m (8ft x 4ft)   | <b>£14,950</b>      |
|                   | <b>Size 2</b> (unheated): 3.05m x 1.22m (10ft x 4ft)  | <b>£16,200</b>      |
|                   | <b>Size 3</b> (unheated): 3.66m x 1.22m (12ft x 4ft)  | <b>£17,800</b>      |
|                   | <b>Size 4</b> (unheated): 4.27m x 1.22m (14ft x 4ft)  | <b>£18,500</b>      |
|                   | <b>Heating Option (additional)</b> assists in maintaining temperature of water  |                     |
|                   | <b>Size 1</b>   | <b>£8,100</b>       |
|                   | <b>Size 2</b>   | <b>£8,260</b>       |
|                   | <b>Size 3</b>   | <b>£8,320</b>       |
|                   | <b>Size 4</b>   | <b>£8,420</b>       |
|                   | <b>Removable Sides (additional)</b> Converts table to large washing tank  |                     |
|                   | <b>Size 1</b>   | <b>£820</b>         |
|                   | <b>Size 2</b>   | <b>£860</b>         |
|                   | <b>Size 3</b>   | <b>£900</b>         |
|                   | <b>Size 4</b>   | <b>£930</b>         |
| EASELS            |   | Price GBP           |
| <b>15</b>         | <b>Mobile Studio Easel</b>  |                     |
|                   | Manually operated   | <b>£9,460</b>       |
|                   | Electrically operated   | <b>£11,400</b>      |
| <b>16</b>         | <b>Wall Mounted (Scanning) Easel:</b> built to meet individual requirements   | <b>From £14,000</b> |
| LIGHTING          |   | Price GBP           |
| <b>17</b>         | <b>Studio Luminaire.</b> 6 tubes, colour corrected, 1200mm length on height adjustable stand with lockable castors    | <b>£1,980</b>       |
|                   | <b>Ceiling mounted</b> option available either fixed or fitted with pantograph  | <b>Please ask</b>   |
| WORK BENCHES      |   | Price GBP           |
| <b>18</b>         | <b>Height Adjustable Ergonomic Work Bench</b>   |                     |
|                   | Standard size 1800mm x 900mm (6ft x 3 ft)   | <b>£1950</b>        |
|                   | Other sizes and formats (eg 2.4m x 1.2m)  | <b>please ask</b>   |
| <b>19</b>         | <b>Fixed Height Work Bench</b>  |                     |
|                   | Standard size 1800mm x 900mm (6ft x 3 ft)   | <b>£1,200</b>       |
|                   | Other sizes and formats   | <b>please ask</b>   |

| ADDITIONAL and BESPOKE PRODUCTS |  | Price GBP         |
|---------------------------------|--|-------------------|
| 20                              | <b>Clamping table:</b> with multi-Positional Gluing Jig: For panel paintings and other similar objects; adjusts & clamps in 3 axis   | <b>£16,900</b>    |
| 21                              | <b>Hydraulic Lift Access Chair:</b> High mass, low centre of gravity for safe stable and adjustable working at high levels   | <b>£14,950</b>    |
| 22                              | <b>Projects and Product variations:</b> We can manufacture any of the products listed above to meet a specific requirement or as part of a design project and will be pleased to discuss your requirements | <b>please ask</b> |

**Prices:** All prices are quoted in GBP, Great British Pounds (Sterling) and are exclusive of VAT (or equivalent purchase tax) and any import taxes which may be applicable within the country of destination. We will be pleased to provide a written quotation on larger equipment and for multiple purchases where quantity reductions may apply. Willard Conservation Ltd reserves the right to make changes to advertised prices, as necessary.

**Shipping:** All equipment prices are ex-works and therefore do not include crating, insurance and delivery. Please contact us and we will be pleased to prepare a quotation to include door-to-door delivery.

**Terms:** strictly in accordance with our standard conditions of business copies of which are available upon request and detailed on the company website

**Guarantee:** Willard products are designed and proven to give long and trouble free performance all products are guaranteed from the day of delivery for a period of 12 months

**For further information, please contact:**

**Willard Conservation Limited**  
 Conservation Equipment Engineers  
 Leigh Road  
 Terminus Industrial Estate  
 Chichester  
 West Sussex  
 P019 8TS  
 England

Tel: ++44 (0) 1243 776 928

E-mail: [info@willard.co.uk](mailto:info@willard.co.uk)

Website: [www.willard.co.uk](http://www.willard.co.uk)