

WILLARD CONSERVATION LTD

CONSERVATION EQUIPMENT ENGINEERS

PRICING TABLE EFFECTIVE JANUARY 2011

HAND TOOLS		Price GBP
1	Control Boxes	
	Control Box Standard (operates all spatula types) either 220v/240v OR 110v/115v	£442
	Control Box Special (operates all spatula types and all irons) either 220v/240v OR 110v/120v	£575
	Wall Mounted (Special Model) as specified above	£670
	Dual voltage selector switch fitted to control box (115V/230V) Add	£146
	Temperature Monitor remote unit to display temperature of hand tools	£165
2	Heated Spatulas (Tacking Irons)	
	1EM miniature spatula for use with mini tips & micro tips.	£210
	Mini Tips (shoes) supplied individually,	£28 ea
	Mini Tips (shoes) supplied as a set of 7 tips	£175
	Micro Tips (shoes) silver supplied individually	£44 ea
	Micro Tips silver, a set of 5 tips (shoes), supplied with adaptor to fit 1EM spatula	£178
	1E or 1EC spatula supplied without tips (shoes)	£210
	Set of 7 interchangeable tips (shoes) to fit 1E and 1EC Spatula	£245
	1E or 1EC spatula supplied complete with a set 7 interchangeable tips	£399
	Tips (shoes) for 1E & 1EC Spatula supplied individually (Type A,B,C,D,E,F,G)	£38 ea
	2E Spatula	£290
	3E Spatula	£290
	4E Spatula	£290
	5E Spatula	£375
	Grooved E Spatula	£375
	Flexible thin blade heated spatula	£510
	Spatula Set A: , 1 x 1E (or 1EC) Spatula with 7 Tips and 1x Standard Control unit	£799
	Spatula Set B: 1 x 1E (or 1EC) Spatula with 7 tips, 1 x 4E Spatula and 1 x Standard Control unit.... excellent value and ideal starter set	£972
	Specialist tips (shoes) for 1EM, 1EC & 1E Heated Spatulas Prices from	£64 ea
3	Hot Air Pen: complete set supplied with hand piece, 3 x nozzles, stand & dedicated controller for regulating air flow and air temperature.	£857
4	Heated Hand Lining Irons & Cold Setting Iron	
	Mini Irons 6E, 7E & 8E styles (150mm x 75mm)	
	6E Symmetrical pointed end 'gothic arch' shape	£299
	7E Rectangular	£299
	8E Rectangular with inclined front edge. Left or right hand slope options	£299
	Standard Irons	
	6E Similar size and shape to domestic iron (200mm x 115mm) Special order	£335
	7E (200mm x 140mm)	£436
	8E (270mm long side x 170mm)	£436
	Medium Irons	
	7E (230mm x 140mm)	£499
	8E (270mm long side x 140mm)	£499
	Large Irons	
	7E (270mm x 170mm)	£610
	8E (300mm long side x 170mm)	£610
	9E (285mm x 140mm) Rectangular with rounded front end	£610
	Cold setting Iron (unheated) Rectangular (270mm x 170mm)	£249

WILLARD WEIGHTS

Price GBP

5 Willard Weights

A6 size	105mm x 148mm	£33
A7 size	74mm x 105mm	£29
A8 size	52mm x 74mm	£23
A9 size	37mm x 52mm	£21
Long bar size	450mm (additional sizes can be made to order)	£31
*Sizes are approximate and subject to production tolerances		

SUCTION EQUIPMENT
6 Multi-Function Suction Tables

Prices GBP

Size of working area	Option 1	Option 2	Option 3	Option 4	Option 5
1.82m x 1.22m (6ft x 4ft)	N/A	£60,600	£64,675	£52,325	£26,900
2.44m x 1.22m (8ft x 4ft)	£72,450	£67,795	£68,900	£56,500	£34,750
2.13m x 1.53m (7ft x 5ft)	£76,590	£70,500	£72,595	£61,650	£37,700
2.44m x 1.53m (8ft x 5ft)	£77,950	£74,495	£75,250	£67,300	£42,500
3.00m x 2.00m (10ft x 6ft.5ft))	£97,390	£94,600	£96,650	£85,690	£59,000
3.50m x 2.00m (11.5ft x 6.5ft)	£102,275	£96,925	£98,262	£90,850	£62,000
4.00m x 2.44m (13ft x 8ft)	£126,950	£118,250	£120,000	£114,500	£68,750
Textile Model 4.00m x 1.22m (13ft x 4ft)	£99,950	£92,950	£84,200	£89,850	Please

Please see the chart below (page 3) for details of equipment included within table options 1-4. All tables are made to order and can be manufactured in alternative sizes to those listed above. Some of the smaller tables can also be supplied with powered height adjustment, if required, *please enquire for further details.*

Multi Function Suction table features					
Function	Option				
	1	2	3	4	5
Refrigerative cooling	•		•		
De-humidification	•		•		
Humidification	•	•			
Full air circulation	•	•	•	•	
Cross flow cooling	•	•	•	•	
Suction	•	•	•	•	•
Work surface heating	•	•	•	•	•
Edge heating	•	•	•	•	•
Duct heating*	•	•	○	○	
Height adjustment (optional)	•	•	•	•	•
By-pass cooling					•

* Duct heating fitted only by prior arrangement to 3 and 4

NEW HEATED SUCTION TABLE

6a	Heated Suction Table <i>with air flow system for enhanced cooling, see option 5 above</i>	
	<p>This newly introduced variant is available in all the sizes detailed above for the Multi-Function table range; other sizes can be made to special order. These tables all have heating, suction and airflow cooling, as standard.</p> <p style="text-align: right;">Prices start (for the 1.8m x 1.2m model) from:</p>	<p>Price GBP</p> <p>£26,900</p>

7	Suction Tables	
	Adjustable height (ergonomic)	
	A0 (1190mm x 841mm)	£6,695
	A1 (841mm x 594mm)	£5,750
	Other sizes	please ask
	Fixed height (trolley mounted)	
	A0	£5,250
	A1	£4,595
	A2 (594mm x 420mm)	£3,250
	Other sizes e.g. 1.83m x 1.22m (6ft x 4ft) & 1.0m x 1.5m (3ft 3in x 5ft)	please ask
	Work surface heating A0 (heating not available for A1 size table)	please ask
	Work surface heating Sizes above A0	please ask
	Fully integrated table, Available in sizes A0 and above, supplied as a complete table fitted with 1.5KW exhauster & variable suction control, as standard	
		£9,770
	Compact A1 Table, this recent addition is supplied as a complete package with an A1 table on an adapted frame, which accommodates a moisture trap and a 1.5KW exhauster with variable suction control and carbon filter, all of which fit neatly below the table for storage, when not in use	
		£9,460
	Suction Table Accessories:	
	Acrylic Hood: Flat fully bonded panels, with hinged flap for access. Completely removable, with lifting handles at each end	
	A0	£2,550
	A1	£2,150
	A2	£1,750
	Other sizes	please ask
	Acrylic dome: hinged to table with balanced gas struts for easy opening. Hinged circular hand ports for access	
	A0	£4,400
	A1	£3,195
	Other sizes	please ask
	Laminated work surface cover	
	A0	£550
	A1	£437
	Other sizes	please ask
	Humidifier with controller, sensor & probe for use with either a hood or a dome on any Willard suction table or companion table (or suitable work surface)	£1,460
	Moisture Trap: protects exhauster against ingress of water	£455
	Carbon Filter: absorbs vapours, reduces exhaust air movement noise	£550
	Companion Table, can accommodate the hood for use with humidification and other treatments, can also be used for additional working area adjacent to the suction table	Please ask
	Suction Tablet standard size A3 (other sizes available, please ask)	From £990

8	Spotting Tables	
	Option 1: Medium pressure, high volume. Fully enclosed, integrated exhauster	£7,250
	Option 2: High pressure, low volume. Fully enclosed, integrated vacuum pump	£7,250
	Option 3: Above features combined	please ask
	Option 4: On open frame. External suction source required, see 'Exhausters' below for options. No control or readout fitted	£3,750
9	Miniature Suction Platform	
	Interchangeable work surfaces 150mm x 150mm and 300mm x 300mm supplied with a miniature pantograph on suction base to facilitate fine adjustment.	£1,450
	As above but with heating system installed within both work surfaces and supplied with dedicated variable temperature control unit.	£4,590
	Adjustable floor stand with castors and quick release mounting bracket	£1,150
	Requires vacuum source, 0.4kW variable suction exhauster recommended	£3,250
9a	Hand Held Suction wand, (or suction Wedge) Please ask for further detail, From	£420
10	Textile Suction Cleaning Table (Dual Function)	
	Suction cleaning with removable durable perforated top and suction source. With perforated top removed functions as tilting laboratory sink. Requires suction source; see 'exhausters' below (.2.2KW recommended) Standard table size 1.22m x 2.44m	£18,850
	Option: Adjustable height to harmonise work surface and sink base levels Other sizes These tables can be produced in a variety of sizes and depths to suit specific applications	please ask
11	Solid Top Vacuum Relining Tables	
	Size 1 - 1.82m x 1.22m	£17,560
	Size 2 - 2.13m x 1.52m	£19,430
	Size 3 - 3.00m x 2.00m	£26,930
	Size 4 - 3.50m x 2.00m	£29,790
	Size 5 - 4.00m x 2.50m	£32,960
12	Exhausters (Suction sources)	
	1.1kW, 1.5kW & 2.2kW supplied fully enclosed in ventilated powder coated aluminum case on lockable castors. Hand held speed control dial on flexible lead for proportional control of exhauster revolutions. Illuminated digital readout on side of housing. 0.4KW models supplied on open chassis with control unit, readout and hand held speed control dial.	
	0.4 kW To suit Miniature Platform. Standard	£3,150
	0.4 kW Anodised for increased corrosion resistance	£3,565
	1.1kW (single vane) High volume, for a variety of applications. Standard	£3,400
	1.1 kW Anodised for increased corrosion resistance	£3,650
	1.5 kW (dual vane) Higher pressure capability for (eg) paper treatments	£4,970
	2.2 kW (single vane) Highest volume for Textile Suction Cleaning Table etc...	£4,500
	2.2kW (dual vane) High volume and higher pressure than single vane	£5,390
WASHING EQUIPMENT		Price GBP
13	Laboratory Sink - Adjustable tilt. Standard size 1.8m x 1.22m (6ft x 4ft)	£5,400
	Heating , integrated heating system with variable temperature control, available in 110/120V and 220/240V	please ask
	Other sizes & specifications. Laboratory Sinks (or tanks) can be produced in a variety of sizes and depths, either tilting or fixed, to suit a specific applications	please ask

14	Textile Washing Table - with tilt adjustable in two axis	
	Size 1 (unheated): 2.44m x 1.22m (8ft x 4ft)	£17,950
	Size 2 (unheated): 3.05m x 1.22m (10ft x 4ft)	£19,200
	Size 3 (unheated): 3.66m x 1.22m (12ft x 4ft)	£20,800
	Size 4 (unheated): 4.27m x 1.22m (14ft x 4ft)	£21,500
	Heating Option (additional) assists in maintaining temperature of water	
	Size 1	£10,500
	Size 2	£10,560
	Size 3	£10,620
	Size 4	£10,820
	Removable Sides (additional) Converts table to large washing tank	
	Size 1	£1,720
	Size 2	£1,960
	Size 3	£2,200
	Size 4	£2,740
EASELS		Price GBP
15	Mobile Studio Easel	
	Manually operated	£12,350
	Electrically operated	£13,980
16	Wall Mounted (Scanning) Easel: built to meet individual requirements, please ask for further details	From £16,000
LIGHTING		Price GBP
	Studio Luminaire. 6 tubes, colour corrected, 1200mm length on height adjustable stand with castors	£2,280
17	Compact Luminaire, comprising of 6 compact, low energy tubes mounted within a purpose made body and supplied with height adjustable stand	£749
	Ceiling mounted option available either fixed or fitted with pantograph	please ask
WORK BENCHES		Price GBP
18	Height Adjustable Ergonomic Work Bench	
	Standard size 1800mm x 900mm (6ft x 3 ft)	£2,250
	Other sizes and formats (eg 2.4m x 1.2m)	please ask
19	Fixed Height Work Bench	
	Standard size 1800mm x 900mm (6ft x 3 ft)	£1,400
	Other sizes and formats	please ask
ADDITIONAL and BESPOKE PRODUCTS		Price GBP
20	Clamping table: with multi-Positional Gluing Jig: For panel paintings and other similar objects; adjusts & clamps in 3 axes	£18,900
21	Hydraulic Lift Access Chair: High mass, low centre of gravity for safe, stable and adjustable working at high levels	£16,950
22	Projects and Product variations: We can manufacture any of the products listed above to meet a specific requirement or as part of a design project and will be pleased to discuss your requirements	please ask

Prices: All prices are quoted in GBP, Great British Pounds (Sterling) and are exclusive of VAT (or equivalent purchase tax) and any import taxes which may be applicable within the country of destination. We will be pleased to provide a written quotation on larger equipment and for multiple purchases where quantity reductions may apply. Willard Conservation Ltd reserves the right to make changes to advertised prices, as necessary.

Shipping: All equipment prices are ex-works and therefore do not include crating, insurance and delivery. Please contact us and we will be pleased to prepare a quotation to include door-to-door delivery.

Terms: strictly in accordance with our standard conditions of business copies of which are available upon request and detailed on the company website

Guarantee: Willard products are designed and proven to give long and trouble free performance all products are guaranteed from the day of delivery for a period of 12 months

For further information, please contact:

Willard Conservation Limited
Conservation Equipment Engineers
Leigh Road
Terminus Industrial Estate
Chichester
West Sussex
P019 8TS
England

Tel: ++44 (0) 1243 776 928
E-mail: info@willard.co.uk
Website: www.willard.co.uk